

ERGONOMIC ISSUES IN DIGITAL GAME DESIGN FOR SENIORS

LOUISE SAUVÉ

Télé-université - Université du Québec / SAVIE, Canada

INTRODUCTION

Online games aimed at seniors need to address the particular needs and physical limitations of this target group. Several researchers have attempted to use commercial digital games in their investigations with seniors, while others have adapted the games or have done research to establish the requirements of digital games aimed at seniors. However, research is still lacking about the evaluation of the ergonomic requirements of online games created for seniors.

In the context of our research financed by the SSHRC Insight program, our objective is to examine through online games conceived for seniors (55+ years), the optimal requirements for the interface: design, readability, and user-friendliness.

DESIGN OF THE GAME

An increasing number of studies advocate that it is necessary to create a design specifically tailored to players from the 'baby boomer' generation (Fisk, Rogers, Charness, Czaja et Sharit, 2009; Hwang, Hong, Hao, & Jong, 2011; Marin, Lawrence, Navarro, & Sax, 2011; Rice, Wan, Foo, Ng, Wai, Kwok, Lee, & Teo, 2011). Different components of digital educational games must be adapted to respond to the needs and characteristics of seniors¹.

Competition. The game must create competition between players to maintain their interest. However, games must be fairly short in duration (between 5 and 15 minutes). The game should provide: (1) mechanisms that allow players to adapt the game based on their capabilities (reaction time, degree of difficulty, etc.); (2) rules that determine the winner or winners and the loser or losers; (3) points (positive or negative) obtained every time an action is executed whether it is correct or not; and (4) gains for a player which constitute a loss for the others.

Challenge. The game must maintain a constant challenge for the players. It must introduce components that maintain a sense of uncertainty about the outcome of the game. Thus, the learning content of the game must take into account the prior knowledge of the learners for whom it is intended, and the questions must offer varying degrees of difficulty in order to promote the participation of all players, even those with little knowledge on the subject matter at hand. Mechanisms must also be provided to ensure that the outcome of a game remains uncertain, including: (1) the controlled addition of random events, for example, bonus cards distributed by the computer system to reduce the gap between opponents who are sometimes too strong or too weak; and (2) the degree of difficulty of the questions from one game to another.

Feedback. Immediate feedback, related to each learning task, allows the player to identify successful activities and those they have failed. The game must incorporate mechanisms that: (1) highlight the results of each learning activity through visual or audible feedback (success or failure), for example, a smiley face or sad face, positive or negative sounds, points earned that add up the score; and (2) allow players to see what they learned by

¹ See Sauvé, 2010a; De Schutter, 2011; Rice et al, 2011; Ogomori et al, 2011; Callari, Ciairano & Re, 2012; Lopez-Martinez et al, 2011; Diaz-Orueta, Facal, Herman Nap, & Ranga, 2012; Pham & Theng, 2012; Shang-Ti et al, 2012; Theng, Chua, & Pham, 2012; Whitlock et al, 2011; Wu et al, 2012.

providing an overview of the results of the game's learning activities, together with teaching materials to review subject matter that has not been learned. The game should also provide feedback linked to players' actions throughout the game in order for players to see the results of their actions during the game. For seniors, guidance about the actions that need to be taken must be available to reassure them and reduce their cognitive load. Bringing up a tutorial or a digital assistant that guides the players about what to do should be available at all times by a single click. This simplifies the use of the game by eliminating the need to quickly learn the rules of the game, thereby reducing the cognitive load. Hints, examples and demonstrations are necessary to avoid the types of errors that reduce seniors' motivation. Finally, the error messages must be clear and always appear at the same place on the screen.

The controller used to play the game. The game console (machine) should be adjustable to the physical limitations of players. The small keys of keyboard that require significant manual dexterity should be avoided, as well as joysticks that require much manipulation as these are difficult for seniors to use. Other guidelines include the following : (1) avoid double actions that require the player to control precisely a pointer on the screen while needing to correctly press a button at the same time to obtain the desired result; (2) use bottoms that are sensitive to a light touch yet solid enough to support a strong hit, and large enough to be easily seen and pressed by seniors; (3) use game controllers that use one hand, such as a computer mouse or Wii controller, as this represents one option more accessible to seniors than those designed to be used by two hands.

THE GAME'S USER-FRIENDLINESS

The game should take into account the necessary conditions of screen design and navigation in the game².

The display screen of the game and the learning activities. First, the games must contain a mechanism that defines the display area through a predetermined framework that will maintain a standard for displaying on screen. It is important that the game appears in the same way from one computer to another. Moreover, avoid scroll bars on the web page that contains the game. The game display must maximize the visibility of the content and minimize the download time. The game and the learning activities should also be seen in their entirety on the width of the screen without the need to use a horizontal scroll bar. The rules, the tutorial or the instructions as well as the players' scores must be in the field of vision of the players and visible with different types of computer screens. The movement of people or tokens in an environment or on a game board must be taken into account in order to avoid an obstruction to accessing important learning information. In addition, the size of the players' tokens must be in proportion to the size of the squares.

Navigation in the game. The game should provide easy navigation and must meet certain conditions. At all times, the board, the pieces, the navigation buttons, instructions, scoring and the rules must be posted and accessible to ensure the smooth running of the game. It is also important to consider that the repeated use of the mouse to access a game component slows the pace of the game and hinders the motivation of players. It is preferable that the player access all the elements with a simple click to get points or to progress in the game. The game must use known symbols or icons to facilitate player actions and to avoid errors due to a misunderstanding. Symbols and icons must be the same on all pages of the game

² See Pearrow, 2007; Sauv , 2010b ; Hwang, Hong, Hao, & Jong, 2011; Marin, Lawrence, Navarro, & Sax, 2011; Whitlock, McLaughlin, & Allaire, 2011.

and located close to the required action. Finally, avoid designing games with more than three overlapping windows, which affects the intuitiveness of the game.

READABILITY OF THE GAME WITH REGARD TO MULTIMEDIA

The game should observe certain minimal conditions with regard to text, video, and illustrations³. Use of a large screen improves the readability of the game for seniors particularly if the screens are clear and simple. The layout of the text on the screen must facilitate reading and viewing. It is recommended that the text utilises a large font (13pt. or more) that is easy to read. Avoid using too many different font styles in the game. The game should also provide a way for a player to increase the font size if they wish. For ease of reading by seniors, use short text sequences, limit the amount of information on each page, and simplify the structure of the text. Remember to provide good contrast between the text and background or between the levels of the game.

The use of illustrations and videos must be relevant to the content of the game. The illustrations should not include too many details, as this would prevent players from perceiving the main idea. The positioning of the video viewer on the screen should allow for good viewing and allow access at all times to the control buttons (stop / play video, adjust volume, etc.). The displaying of an illustration or a video should not require a waiting time on the computer of more than two seconds for its appearance on screen. If this is the case and the content is relevant, it is necessary for the game to display a meter or bar that indicates the download time otherwise the players will think it is equipment failure. Illustrations and videos must be displayed within a window screen. If the images have too much detail or if they are large, the game should provide the option to view them in a new window.

Use of audio content or spoken text can motivate the older adults and increase their interest in the subject matter studied in the game. The game requires that the sound be audible and that the instructions to activate the speaker or sound controls of the computer (replay audio, adjust volume, etc.) be integrated into the game and accessible during listening. It should also allow for a silent mode of play that can be selected by players who do not want others to know that they have committed an error.

CONCLUSION

At least three games will be created and evaluated with seniors (n=150) based on the ergonomic requirements found in the literature in winter 2014. Interviews and short questionnaires (q) will be administered to determine the degree of seniors approval regarding the design (2 q X 12 criteria), user-friendliness (2 q X 9 criteria), and readability (1 q X 13 criteria). A descriptive analysis will allow us to create a picture of the important considerations for the use of digital games as a learning medium for seniors.

³ See Millerand et Martial, 2001; Nogier, 2005; Sauvé, 2010b; Kellner, 2008; Whitlock, McLaughlin, & Allaire, 2011.

KEYWORDS INDEX

educational games, serious games, seniors, ergonomics, user-friendliness, design, readability

REFERENCES

Callari TC, Ciairano S, Re A (2012) Elderly-technology interaction: accessibility and acceptability of technological devices promoting motor and cognitive training. *Work* 41: 362-369

De Schutter B (2011) Never Too Old to Play: The Appeal of Digital Games to an Older Audience. *Games and Culture*, 6(2): 155-170

Diaz-Orueta U, Facal D, Herman Nap H, Ranga MM (2012) What Is the Key for Older People to Show Interest in Playing Digital Learning Games? Initial Qualitative Findings from the LEAGE Project on a Multicultural European Sample *Games for Health*, 1(2): 115-123

Fish AD, Rogers WA, Charness N, Czaja SJ, Sharit J. (2009). *Designing for Older Adults. Principles and Creative Human Factors Approaches*. (2e edition). CRC Press : Taylor & Francis Groupe, Boca Raton (FL)

Hwang MY, Hong JC, Hao Yw, Jong JT (2011) Elders' Usability, Dependability, and Flow Experiences on Embodied Interactive Video Games. *Educational Gerontology*, 37(8): 715-731

Kellner C. (2008) Utiliser les potentialités du multimédia interactif. In: Jessel JP, Mpondo-Dicka P (eds), *Do it yourself 2.0. Comment et quoi faire soi-même à l'aide de logiciels, matériels et dispositifs numériques : de l'intérêt de la facilitation de l'action et de la production dans le monde numérique*, Actes du colloque scientifique Ludovia – 2008, Ax les Thermes – Ariège : Institut de Recherche en Informatique de Toulouse et Laboratoire de Recherche en Audiovisuel, 27 - 29 août, p 160-170

Lopez-Martinez A, Santiago-Ramajo S, Caracuel A, Valls-Serrano C, Hornos MJ, Rodriguez-Fortiz M J (2011, 16-18 Nov. 2011) Game of gifts purchase: Computer-based training of executive functions for the elderly. Paper presented at the Serious Games and Applications for Health (SeGAH), 2011 IEEE 1st International Conference on

Marin JG, Navarro KF, Lawrence E. (2011) Serious Games to Improve the Physical Health of the Elderly: A Categorization Scheme. Paper presented at the CENTRIC 2011, The Fourth International Conference on Advances in Human-oriented and Personalized Mechanisms, Technologies, and Services. http://www.thinkmind.org/index.php?view=article&articleid=centric_2011_3_20_30056. Accessed 15 Jul 2012

Millerand, F. et Martial, O. (2001). Guide pratique de conception et d'évaluation ergonomique de sites Web. Centre de recherche informatique de Montréal, Montréal. http://www.crim.ca/files/documents/services/rd/Guide_Ergonomique.PDF. Accessed 5 Oct 2002

Nogier JF (2005) *Ergonomie du logiciel et design web. Le manuel des interfaces utilisateur*, Collection, InfoPro, Dunod, Paris

Ogomori K, Nagamachi M, Ishihara K, Ishihara S, Kohchi M (2011) Requirements for a Cognitive Training Game for Elderly or Disabled People. Paper presented at the Biometrics and Kansei Engineering (ICBAKE), 2011 International Conference on. 19-22 Sept

Pearrow M (2007) *Web usability handbook* (2nd edition). Charles River Media, Boston, MA

- Pham T P, Theng YL (2012) Game controllers for older adults: experimental study on gameplay experiences and preferences. Paper presented at the Proceedings of the International Conference on the Foundations of Digital Games
- Rice M, Wan M, Foo MH, Ng J, Wai Z, Kwok J, et al. (2011) Evaluating gesture-based games with older adults on a large screen display. Paper presented at the Proceedings of the 2011 ACM SIGGRAPH Symposium on Video Games
- Sauvé L (2010a) Effective Educational Games. In: Kaufman D, Sauvé, L. (ed), Educational Gameplay and simulation environments, Case Studies and Lessons Learning, IGI Global. New York: Hershey, p 27-50
- Sauvé L (2010b) Usability Guidelines for a Generic Educational Game Shell. In: Kaufman D, Sauvé L. (ed), Educational Gameplay and simulation environments, Case Studies and Lessons Learning. IGI Global. New York: Hershey, p 390-400
- Shang-Ti C, Huang YGL, Chiang IT (2012) Using Somatosensory Video Games to Promote Quality of Life for the Elderly with Disabilities. Paper presented at the Digital Game and Intelligent Toy Enhanced Learning (DIGITEL), 2012 IEEE Fourth International Conference on, 27-30 March
- Theng YL, Chua PH, Pham TP (2012) Wii as entertainment and socialisation aids for mental and social health of the elderly. Paper presented at the Proceedings of the 2012 ACM annual conference extended abstracts on Human Factors in Computing Systems Extended Abstracts
- Whitlock LA, McLaughlin AC, Allaire JC (2011) Video Game Design for Older Adults: Usability Observations from an Intervention Study. Proceedings of the Human Factors and Ergonomics Society Annual Meeting, 55(1): 187-191
- Wu Q, Miao C, Tao X, Helander MG (2012). A curious companion for elderly gamers. Paper presented at the Network of Ergonomics Societies Conference (SEANES), 2012 Southeast Asian, 9-12 July